

FO-POXY (SUPER FLOOR)

OVERVIEW :

It saves Industrial floors from Chemical attacks and normal wear and providing smooth glossy finish to the floor. Since it gives a smooth finish, cleaning of surface becomes easy. It has a good bondage with concrete. The mechanical properties of the surface are increased in multifold preventing cracks, pitting and peeling.

APPLICATIONS:

- Chemical resistant coating in chemical industries.
- Preferred in Automobile workshop, Engineering works and garages due to it's non-oil absorbent characteristic.
- Smooth & glossy finish in Electronic Industries, Pharmaceuticals, Hospitals, shop floors, etc.

CHEMICAL RESISTANCE :

Fo-Poxy (Super Floor) has good chemical resistance with hydrocarbons, steam, ammonia, saturated salt water, hydrochloric acid, caustic soda, sulphuric acid, methanol, urea, lubricating oil, mineral spirit, chlorinated solvent, petrochemicals, gasoline and most of the other chemicals

PROPERTIES :

Pot Life	(minutes)	:	20
Compressive Strength	(kgs/cm ²)	:	1000
Hardness	(Shores 'D')	:	85
Withstanding Temperature	(°C)	:	120
Coverage area	(Sq. Mts for 15 kg unit)	:	6

MANUFACTURED BY :

AQUADRA FORSPEC PVT. LTD., Mumbai, India

Tel. : 022- 2884 5705

Fax : 022- 2887 2661

E-mail : aquadra@vsnl.com

The information contained and the recommendations made in this data sheet are based upon data collected and believed by us to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made herein with respect to the merchandise described and we assume no responsibility for the results or the use thereof.